

Endurable Concrete Sealer (Component 2)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 05/01/2023

Revision date: n/a Printed: 05/01/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Endurable Concrete Sealer (Component 2)

Product code : n/a

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use
Construction sealer

Use advised against : None identified

1.3. Details of the supplier of the safety data sheet

Endurable
8351 Lucerne Loop
Lakewood Ranch, FL
34202
Tel: 800-910-3120

1.4. Emergency telephone number

Emergency number : 800-910-3120
Mon - Fri 8:30- 4:30 (PST)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Not classified

2.2. Label elements

Labelling

No labelling applicable

2.3. Other hazards

Other hazards which do not result in classification : Bdirect contact with skin may cause an allergic skin reaction. Prolonged eye contact with mist of vapors may cause eye irritation/damage. Spills of this product present a serious slipping hazard.

2.4. Unknown acute toxicity

Contains up to 30.5% of ingredient(s) of unknown toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Endurable Concrete Sealer (Component 2)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

3.2. Mixture

Name	Product identifier	%
Ethanol, 2,2',2''-nitrolotris-	(CAS No) 102-71-6	< 3
Ammonia	(CAS No) 7664-41-7	< 0.5
2-Propanol, 1-(2-butoxy-1-methylethoxy)-	(CAS No) 29911-28-2	4

The specific chemical component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (l)(1).

Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.
- First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Shortness of breath. Irritating to eyes. May skin and respiratory tract irritation. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea. May cause adverse liver and kidney effects. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Use of water spray when fighting fire may be insufficient.
- Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : Most vapors are heavier than air. They will spread along ground and collect in low or confined areas. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Avoid contact with eyes. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Equip cleanup crew with proper protection. The low volatility of this product does not require ventilation. However depending on the condition, adequate ventilation might be required.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

Endurable Concrete Sealer (Component 2)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Large spills: Dike to prevent further leakage. Use dry sand to contain the flow of chemical.
Small spills : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect all waste in suitable and labelled containers and dispose according to local legislation. Store away from other materials. Ensure all national/local regulations are observed.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with eyes. Wear personal protective equipment as appropriated. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in cool, dry and well-ventilated place. Keep container closed when not in use.

Incompatible materials : Oxidizing agents, Nitrosating agents, Metals, Acids, Acid forming substances Fluorine, Halogens

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Triethanolamain (102-71-6)		
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³

Ammonia (7664-41-7)		
ACGIH	ACGIH TWA (ppm)	25 ppm
ACGIH	ACGIH STEL (ppm)	35 ppm
OSHA	PEL TWA (ppm) Final	50 ppm
OSHA	PEL TWA (mg/m ³)	35 mg/m ³
OSHA	PEL STEL (ppm) Vacated	35 ppm
OSHA	PEL STEL (mg/m ³)	27 mg/m ³

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Personal protective equipment : Handle in accordance with good industrial hygiene and safety practices. Avoid all unnecessary exposure. For certain operations, additional Personal Protection Equipment (PPE) may be required.

Hand protection : In case of repeated or prolonged contact wear gloves.

Eye protection : Wear goggles if splashing or spraying is anticipated.

Skin and body protection : In case of repeated or prolonged exposure : Personal protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : Do not eat, drink or smoke during use.

Endurable Concrete Sealer (Component 2)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Milky liquid
Color	: White
Odor	: Mild odor
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage condition

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Protect product from freezing.

10.5. Incompatible materials

Oxidizing agents, Nitrosating agents, Metals, Acids, Acid forming substances Fluorine, Halogens

10.6. Hazardous decomposition products

Thermal decomposition products: Oxides of nitrogen, Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Ammonia (7664-41-7)	
LD50 oral rat	350 mg/kg

ATE > 5,000 mg/kg

Endurable Concrete Sealer (Component 2)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Acute toxicity	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, NTP, ACGIH, or listed on OSHA's list of regulated carcinogens.)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/injuries after eye contact	: May cause eye irritation sensation. Redness and watering.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No additional information available

Endurable Concrete Sealer (Component 2)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with applicable local, national and international regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT
Not regulated for transport

Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 except for:

Ammonia (7664-41-7)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb (final RQ)
US – CERCLA/SARA	de minimis concentration of 1.0% (including anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salt and other sources, 10% of total aqueous Ammonia is reportable under this listing)

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - NOTE: This product has NOT evaluated against the latest requirements of the California Proposition 65 to meet the safe harbor warning requirements introduced by The office of Environmental Health Hazards Assessment (OEHHA), during its OSHA hazards classification evaluation.

Triethanolamine (102-71-6)
Massachusetts RTK New Jersey Worker and Community RTK Pennsylvania Worker and Community RTK

Ammonia (7664-41-7)
Massachusetts RTK Pennsylvania Worker and Community RTK

SECTION 16: Other information

Indication of changes : Not applicable
Revision date : Not applicable

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product